


| GRANITIC SAND FOOTPATH | |
|------------------------|--|
| REQUIRED | PROVISIONAL |
| LAYER THICKNESS (mm) | MATERIAL |
| 50 | COMPACTED GRANITIC SAND |
| 100 | 20mm NOM. SIZE CLASS 2 FINE CRUSHED ROCK COMPACTED TO 98% MMDD ± 2% OMC. COMPACTED IN 1 LAYER |
| -- | EXISTING SUB-GRADE TO BE PROOF ROLLED PRIOR PLACING THE NEXT LAYER |



PROVISIONAL WESTERN FOOTPATH EXTENSION
12m WIDE GRANITIC SAND FOOTPATH
REFER TO DETAILS

FILL THE PUNT WITH IMPORTED GRANITIC SAND TO ENSURE DRAINAGE
LOWEST POINT AT NORTH EAST CORNER AT 99.920

FILL TO BLEND RAISED FOOTPATH AND EXISTING AREA

THIS AREA REQUIRES FILL IN FCR OF APPROX 300mm

TELSTRA PIT

FILL TO BLEND RAISED PAVEMENT AND EXISTING AREA

INSTALL REPLAS BOLLARDS



INSTALL REPLAS SEAT

RE-INSTATE EXISTING LEVEE BANK ON ROAD

| PAVEMENT #2 DETAILS | |
|----------------------|--|
| LAYER THICKNESS (mm) | MATERIAL |
| -- | DOUBLE COAT SPRAY SEAL WITH 7mm & 14mm AGGREGATE |
| VARIES 100-320 | 20mm NOM. SIZE CLASS 2 FINE CRUSHED ROCK COMPACTED TO 98% MMDD ± 2% OMC. COMPACTED IN LAYERS LESS THAN 150mm |
| APPROX. 50 | TYNE/RIP INTO EXISTING GRAVEL TO ENSURE INTERLOCKING TO ABOVE BASE LAYER |

| PAVEMENT #3 DETAILS | |
|----------------------|---|
| LAYER THICKNESS (mm) | MATERIAL |
| -- | DOUBLE COAT SPRAY SEAL WITH 7mm & 14mm AGGREGATE |
| 150 | 20mm NOM. SIZE CLASS 2 FINE CRUSHED ROCK COMPACTED TO 98% MMDD ± 2% OMC. COMPACTED IN 1 LAYER |
| 100 | 20mm NOM. SIZE CLASS 3 FINE CRUSHED ROCK COMPACTED TO 97% MMDD ± 2% OMC. COMPACTED IN 1 LAYER |
| VARIES 50-250 | RAISED SUBGRADE WITH BEST STOCKPILED GRAVEL COMPACTED & ENSURE MIN. CBR 5% SUBGRADE TO BE PROOF ROLLED PRIOR PLACING NEXT LAYER |
| -- | EXISTING SUBGRADE |

FOR QUOTATION





DESIGNED: KEVIN N.
DRAWN: KEVIN N.
CHECKED: ---
DATE: 22/10/2021
DATE: ---
APPROVED
SHEET SIZE
A1
THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE AND MAY ONLY BE USED FOR THE PURPOSE FOR WHICH IT WAS COMMISSIONED. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON THE PROJECT BEFORE COMMENCING ANY WORKS ON SITE. DIMENSIONS TAKE PRIORITY OVER SCALED MEASUREMENTS.



MOIRA SHIRE COUNCIL
BARMAH PUNT UPGRADE
BARMAH
SHEET 01 - LAYOUT PLAN 1 OF 2
DRAWING NO.: D21-145558-01
PROJECT NO.: D21-145558
Sheet No.: 01 of 13

| REV | REF | DESCRIPTION | DATE | APVD |
|-----|-----|-------------|------|------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| PAVEMENT #1 DETAILS | |
|----------------------|---|
| LAYER THICKNESS (mm) | MATERIAL |
| -- | DOUBLE COAT SPRAY SEAL WITH 7mm & 14mm AGGREGATE |
| 150 | 20mm NOM. SIZE CLASS 2 FINE CRUSHED ROCK COMPACTED TO 98% MMDD ± 2% OMC. COMPACTED IN 1 LAYER |
| 50 | TYNE/RIP INTO EXISTING GRAVEL TO ENSURE INTERLOCKING TO ABOVE BASE LAYER |



- 12m WIDE GRANITIC SAND FOOTPATH REFER TO DETAILS IN SHEET 03
- FILL TO MATCH FOOTPATH AND KERB
- B2 KERB AS PER IDM SD100 & SD110
- PAVEMENT #1 REFER TO PAVEMENT DETAIL ABOVE

| CULVERT ALIGNMENT C02 | |
|-----------------------|----------------|
| DEPTH TO INVERT | EXISTING LEVEL |
| 0.000 | 99.127 |
| 2.000 | 99.130 |
| 4.000 | 99.134 |
| 6.000 | 99.138 |
| 8.000 | 99.142 |
| 10.000 | 99.146 |
| 11.970 | 99.150 |
| 12.000 | 99.150 |
| 14.000 | 99.154 |
| 16.000 | 99.158 |
| 18.000 | 99.162 |
| 20.000 | 99.166 |
| 22.000 | 99.170 |
| 24.000 | 99.174 |
| 26.000 | 99.178 |
| 28.000 | 99.182 |
| 30.000 | 99.186 |
| 32.000 | 99.190 |
| 33.336 | 99.193 |


DATUM 98.50
 SCALES: HORIZONTAL 1:200 VERTICAL 1:40
 WATER MAIN - TOP OF PIPE RL 99.008
 SUPERIMPOSED TELSTRA LINE APPROX. DEPTH 0.5-0.6m

| REV | REF | DESCRIPTION | DATE | APVD |
|-----|-----|-------------|------|------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

FOR QUOTATION



DESIGNED: KEVIN N.
 DRAWN: KEVIN N.
 CHECKED: ---
 DATE: 22/10/2021
 DATE: ---
 APPROVED: _____
 SHEET SIZE: A1
 THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE AND MAY ONLY BE USED FOR THE PURPOSE FOR WHICH IT WAS COMMISSIONED. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON THE PROJECT BEFORE COMMENCING ANY WORKS ON SITE. DIMENSIONS TAKE PRIORITY OVER SCALED MEASUREMENTS.





MOIRA SHIRE COUNCIL
 BARMAH PUNT UPGRADE
 BARMAH
 SHEET 02 - LAYOUT PLAN 2 OF 2
 DRAWING NO.: D21-145558-02
 PROJECT NO.: D21-145558
 Sheet No. 02 of 13




PROVISIONAL
 EASTERN FOOTPATH EXTENSION
 2m WIDE GRANITIC SAND FOOTPATH
 PROVIDED ALIGNMENT IS **PRELIMINARY ONLY** FOR QUOTATION PURPOSE
 THE AREA WAS SUBMERGED DURING SURVEY
 DETAILED ALIGNMENT WILL BE PROVIDED PRIOR CONSTRUCTION, IF WITHIN BUDGET

FOR QUOTATION

| REV | REF | DESCRIPTION | DATE | APVD |
|-----|-----|-------------|------|------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



DESIGNED: KEVIN N.
 DRAWN: KEVIN N.
 CHECKED: ---
 APPROVED: _____
 DATE: 22/10/2021
 DATE: ---
 SHEET SIZE
A1
THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE AND MAY ONLY BE USED FOR THE PURPOSE FOR WHICH IT WAS COMMISSIONED. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON THE PROJECT BEFORE COMMENCING ANY WORKS ON SITE. DIMENSIONS TAKE PRIORITY OVER SCALED MEASUREMENTS.



MOIRA SHIRE COUNCIL
 BARMAH PUNT UPGRADE
 BARMAH
 SHEET 13 - EASTERN FOOTPATH EXT (PROVISIONAL)
 DRAWING NO.: D21-145558-13
 PROJECT NO.: D21-145558
 Sheet No.: 13 of 13